

750A

Commercial Sectional Doors 2" Heavy-Duty Aluminum





BEST



Door: Ltd Lifetime



Hardware: 1 yr



Springs: 1 yr

- Commercial Extruded Aluminum
 4 Color Options
- 2" Heavy-Duty Sections
- 6 + Panel Insert Options

Thermal Rating Customizations Low Maintenance **Luxury Level**



Section Detail

SECTION DETAIL 750A doors feature 2" thick Tongue and Groove joints and are constructed using heavy-duty commercial grade 6063-T5 extruded aluminum alloy box-type (enclosed) stiles and rails joined together with self-tapping screws. These doors meet or exceed ASTM/DASMA 102-2011 standards.


Left Page Image: Dark Bronze Anodized Finish with

Satin Etch Glass

Bottom Image: Close-up of a dark bronze anodized

frame with satin etch glass.

Superior Quality Commercial Aluminum Products



Tongue & Groove Section Joints 1

Precisely designed thermally broken section joints reduce air infiltration and create weather tight seal.

Glass panels 4

1/8" tempered glass is standard in the 750A. A wide variety of other options are available.

Anodized Aluminum Frame 2

Frame members are mechanically fastened at joints creating an exceptionally high strength door frame.

Bottom Weather Seal 5

Keeps out wind, rain, debris and other elements for added energy savings.

Optional Insulation 3

(EPS) polystyrene insulation is optional in the door frame.

Insulated glass is also available.

Panel Design Options

CHOOSE YOUR PANEL DESIGN.

Panels come in a wide range of different styles allowing you to choose the perfect match for the design of your property.




- Expanded Aluminum
- 2 .0625" Perforated
- 3 .25" Perforated
- 4 .50" Perforated
- 5 Clear Anodized
- 6 White Corrugated
- *Other options available Please consult your representative.





Track Options

CHOOSE THE TRACK OPTION THAT BEST SUITS YOUR NEEDS.

Track options include angle mounted, low clearance, high lift, and vertical lift. Track also available in 3".







Typical Construction for Reverse Angle Door Width = Door Opening Width + 2 (i.e. 8'2", 10'2", 16'2", 20'2" etc.)

Additional Options

- 25,000, 50,000 and 100,000 Cycle Torsion Springs
- Single Pane and Insulated Glass
- Double End Hinges and Long Stem Rollers
- Chain Hoist or Motor Operated Options
- Powder Coated Hardware



Color Options

CHOOSE YOUR BEST MATCH.

Panels are available in four standard colors ready for your personal touch to enhance the look of your space.









- 1 Clear Anodized
- 2 Dark Bronze Anodized
- Black Anodized
- 4 White Painted





Glass Options















- Clear
- 2 Greylite
- ³ P516 Obscure
- 4 Bronze
- 5 Satin Etch
- 6 Black Laminated
- 7 White Laminated



FIVE PRODUCTION PLANTS, ONE FAMILY



Puyallup, WA - Sectional Doors



Montgomery, IL - Sectional Doors



Barrie, ON (CAN) - High Performance Doors



manufacturers of doors we're committed to providing the best quality, value, and selection. Whether residential, commercial or industrial, we have the door you're looking for. Each Hörmann product gives you the perfect array of benefits and options to satisfy your customers.

As one of the world's leading

Eastern and Central US

Toll Free: 877.654.6762 Email: info1@hormann.us Website: hormann.us

Western US

Toll Free: 800.522.2264 Email: info@northwestdoor.com Website: northwestdoor.com

Canada

Toll Free: Email: info@northwestdoorcanada.ca website: nwdca.ca

Follow us on social media







AVAILABLE FROM:

